

SIRIUS[®]

SATELLITE RADIO



SIRPAN1C

PANASONIC COMPATIBLE
SIRIUS SATELLITE RADIO TUNER

Installation Guide



Congratulations on your purchase of the SIRPAN1C Panasonic-Compatible SIRIUS Satellite Radio Tuner!

Your new SIRIUS Tuner is designed to work with 2006 models of Panasonic headunits that are designated as “SAT RADIO READY”. Contact Panasonic or SIRIUS for model compatibility, or see page 11 for a list of compatible models.

What is SIRIUS Satellite Radio?

100 channels of the best entertainment and completely commercial-free music for your car, home or office.

Only SIRIUS has 60 original music channels, from today’s hits to R&B oldies to classical masterpieces. From authentic Country and real Bluegrass to cool Jazz, hot Latin, Reggae, Rock and many more. Best of all, it’s all completely commercial-free.

SIRIUS also has 40 channels of world-class sports, news and entertainment. Coupled with great sports news from ESPN, the SIRIUS sports offering is unrivaled. And don’t forget a host of other great news and entertainment, like NPR, CNBC, CBC, Radio Disney and E! Entertainment Radio. SIRIUS Canada’s lineup includes 10 Canadian channels featuring some of the best of CBC Radio One programming and cutting edge Canadian indie music.

With SIRIUS, the emphasis is on the music and entertainment you want. With SIRIUS, the emphasis is on the

music and entertainment you want. The music is hosted by SIRIUS Jockeys, who are true experts. They back-up the music with compelling information about the song being played, and they understand that sometimes it’s best to just let the music speak for itself.

Rely on SIRIUS rocket science for superior coverage.

Only SIRIUS has **three** powerful satellites that fly directly over North America ensuring coast-to-coast-to-coast coverage with high elevation angles. This gives the satellites a “clear line of sight” to your car or home, with much less concern for buildings, trees or other objects that might block conventional satellite signals.



Once you experience our 100 channels of digital entertainment, you’ll never want to leave your car. For more information, visit www.siriuscanada.ca.



Table of Contents

Package Contents	3
Warnings and Cautions	4
Installation	6
Mounting the Tuner	6
Installing the Antenna	6
Optimum Antenna Mounting Locations	7
Wiring and Cable Connections	8
System Connection Examples	10
Activating Your SIRIUS Subscription	11
Specifications	12
Warranty	13

Package Contents



- A** SIRPAN1C Tuner
- B** Mini Magnetic Antenna
- C** Antenna Cable Cover/Tail
- D** Alcohol Swab
- E** Power Harness With In-Line Filter
- F** 2.5-Meter Panasonic Bus Cable
- G** 6 Mounting Screws



WARNING

This symbol means important instructions. Failure to heed them can result in serious injury or death. DO NOT OPERATE ANY FUNCTION THAT TAKES YOUR ATTENTION AWAY FROM SAFELY DRIVING YOUR VEHICLE.

Any function that requires your prolonged attention should only be performed after coming to a complete stop. Always stop the vehicle in a safe location before performing these functions. Failure to do so may result in an accident.

DO NOT OPEN, DISASSEMBLE OR ALTER THE UNIT IN ANY WAY. Doing so may result in fire, electric shock or product damage.

DO NOT INSERT ANY OBJECTS INTO THE UNIT. Doing so may result in fire, electric shock or product damage.

USE THE CORRECT AMPERE RATING WHEN REPLACING FUSE. Failure to do so may result in fire, electric shock or product damage.

MAKE THE CORRECT CONNECTIONS. Failure to make proper connections may result in fire or product damage.

DO NOT SPLICE INTO A ELECTRICAL CABLES. Never cut away cable insulation to supply power to other equipment. Doing so will exceed the current carrying capacity of the wire and result in fire or electric shock.

DO NOT INSTALL IN LOCATIONS THAT MIGHT HINDER VEHICLE OPERATION. Doing so may obstruct vision or hamper movement which can

result in a serious accident.

DO NOT INSTALL THE UNIT TO HIGH LEVELS OF HUMIDITY, MOISTURE OR DUST. Doing so can result in electric shock or product failure.

FCC Warning: This equipment may generate or use radio frequency energy. Changes or modifications to this equipment may cause harmful interference unless the modifications are expressly approved in this User Guide. The user could lose the authority to operate this equipment if an unauthorized change or modification is made.

Note: This equipment has been tested and found to comply with Part 15 of the FCC Rules. These rules are designed to provide reasonable protection against harmful interference. This equipment may cause harmful interference to radio communications if it is not installed and used in accordance with these instructions. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of more of the following measures:

- Relocate the receiving antenna.
- Consult the dealer or an experienced technician for help.



CAUTION

This symbol means important instructions. Failure to heed them can result in injury or material property damage.

HALT USE IMMEDIATELY IF A PROBLEM APPEARS. Failure to do so may cause personal injury or damage to the product. Return the unit to your authorized retailer or nearest service center for repairing.

INSTALL THE WIRING SO THAT IT IS NOT CRIMPED OR PINCHED BY SCREWS OR SHARP METAL EDGES. Route the cables away from moving parts or sharp pointed edges. This will prevent crimping and damage to the wiring. If the wiring must pass through a metal hole, be sure to use a rubber grommet to prevent the wire's insulation from being cut by the metal edge of the hole.

USE THE SPECIFIED ACCESSORY PARTS AND INSTALL THE PRODUCT SECURELY. Be sure to use only the specified accessory parts. Use of non-specified parts may damage this unit internally or may not securely install the unit in place. This may cause parts to become loose, resulting in hazards or product failure.

USE CAUTION IF YOU NEED TO DISCONNECT THE BATTERY TERMINAL. Please consult the vehicle's owner's manual or a service technician prior to removing the battery positive or ground connection, as it may cause damage to the vehicle's electrical system or require reprogramming of the vehicle's computer-controlled devices.

SIRIUS 
SATELLITE RADIO

Installation

It is recommended that prior to starting the installation, you thoroughly read this manual and follow the guidelines listed below:

Consider the mounting location carefully. You should make sure that you avoid the following:


- Any location where the tuner is exposed to moisture.
- Any location where the unit is exposed to extreme heat.
- Any location that would interfere with moving parts on the vehicle or hamper driving.

Mounting the SIRPAN1C Tuner

Be sure that you find a location that is flat and has clearance above the unit to prevent any damage as well as allow for ventilation.

Do not install the tuner under the carpet or in a small enclosed area without proper ventilation. Doing so can result in damage to the tuner or the vehicle.

Use the supplied screws to securely fasten the unit.



Caution:

If you are attaching the unit directly to the vehicle's chassis, be sure that you


check to make sure the area behind the unit is free from moving parts, fuel or break lines, wire harnesses or any other items which may get damaged by drilling a mounting hole or using the supplied screws.

Installing the Antenna


The antenna includes a "6-1/2" cable cover/tail which covers the exposed antenna cable and keeps it attached securely to vehicle roof. The tail also helps position the antenna the proper distance from the window, sunroof or rear hatch.

To attach the cover/tail:

1. Once you have determined the proper mounting location (see next section), clean the area with the supplied alcohol swab.
2. Connect the cover/tail to the antenna cable, making sure that the strain-relief on the antenna seats into the cover/tail groove. Route the cable through the wire channel in the cover/tail.



3. Remove the remaining protective tape from the adhesive, carefully position the antenna with cover/tail and apply pressure to secure to the vehicle.



Optimum Antenna Mounting Locations

The optimum location to mount the included antenna is on the roof of the vehicle. It is important to avoid any obstruction that will block satellite signal – like a roof rack. For convertible vehicles, install the antenna on the trunk lid.

- Place the antenna on a metal surface of your vehicle at least 12" x 12", and at least 6" from a window. (Use the antenna cover/tail as a guide for the proper distance).
- The antenna's powerful magnet will secure it to the metal surface. The adhesive that is attached to the antenna cover/tail will secure the cable to the vehicle. Before routing the antenna cable, confirm that the antenna is mounted in a good location.
- Route the cable from the antenna to the vehicle's interior by tucking it underneath the rubber molding around the rear window (if possible).
- Route the cable from the lowest point of the rear window into the trunk. Take advantage of any existing cable channels or wiring conduits.

- For SUVs, minivans and five-door vehicles, bring the cable into the vehicle under the rubber molding for the tailgate, and continue under the interior trim.
- From the trunk, carefully route the cable to the location of the SIRPAN1C and plug the SMB connector onto the unit.


Sedan/Coupe




SUV/Mini-Van



Truck




Convertible (only)



Caution:

- Do not pull the wire across sharp edges that could damage it.
- Keep the wire away from areas where it could become tangled in the driver's and passenger's feet.
- Keep the antenna wire away from extreme heat – like exhaust systems.
- Avoid placing the cable near any moving parts.

Wiring and Cable Connections



Antenna Input

Connect the right-angle SMB connector from the antenna. Push firmly to attach.


Panasonic Headunit Connector

Use the supplied Panasonic bus cable to connect to the Panasonic headunit – See “System Connection Examples” for more specific details.


Power Harness Connector

After the wiring connections are complete, plug the wiring harness into the connector. Make sure to insert firmly to lock the connector in place.

- A Antenna Input (SMB)
- B Headunit Connector
- C Power Connector




- 1 ACC (Ignition Switched)
- 2 Battery (+)
- 3 Ground (-)
- 4 No Connection




System Connection Examples

System 1: Panasonic Headunit and SIRPAN1C



System 2: Panasonic Headunit, CD Changer, and SIRPAN1C



Activating Your SIRIUS Subscription

You must activate the SIRPAN1C before you can start to receive the SIRIUS Satellite Radio broadcast.

1. Make sure that the SIRPAN1C is properly connected and that the antenna is oriented to receive the SIRIUS satellite signal.
2. Turn on the Panasonic headunit.
3. Press and release the SOURCE button on the headunit to select SIRIUS as the source. (Each press of the SOURCE button will change to a different audio source.)
4. The display will read "UPDATING" until the SIRPAN1C channel update is completed. This is where the latest channel line up is updated on the SIRIUS tuner.

NOTE: Don't push any buttons or perform any operations until updating has been completed. Once updated and the SIRIUS channels are received, the display will change to "Call 1-888-539-SIRIUS to Subscribe" and will place you in SIRIUS Satellite Radio's Preview Channel (Channel 184). You should be able to hear the SIRIUS Preview channel's Audio.

5. Use the ▲ / ▼ buttons to select to Channel "000" on the display to bring up the SIRIUS ID (SID).
6. The unit will display "CH000", followed by "ESN XXXXXXXXXXXX". The SID will be displayed in each of the Artist, Song Title, and Composer Fields of the Display – Example "ESN 123456789123." Write down the 12 digit SID in the location provided on

the next page for future reference. (See the Panasonic Owners Manual for more information.)

7. To activate, call SIRIUS toll-free at 1-888-539-SIRIUS (1-888-539-7474).
8. You will not be able to tune to any other channels until you activate your SIRIUS subscription. After your SIRPAN1C is activated, you will be able to change channels and hear the audio playing.

Note: The SID can also be found on the sticker that is on the bottom of the SIRPAN1C and on the packaging that the unit was packed in.

Basic Operation

The SIRPAN1C SIRIUS Satellite Radio Tuner is compatible with 2006 models of Panasonic headunits that are designated as "SAT RADIO READY".

The following models are compatible:

CQ-C3303U	CQ-C7103U	CQ-C8403U
CQ-C3333U	CQ-C7203U	CQ-C8413U
CQ-C3403U	CQ-C7303U	CQ-C8803U
CQ-C3433U	CQ-C7403U	CQ-VD6503U
CQ-C5303U	CQ-C7413U	CQ-VD7003U
CQ-C5403U	CQ-C8303U	

Consult the Panasonic or SIRIUS Customer Support Departments for more information about compatibility.

Please consult your Panasonic owner's manual for proper operation instructions for using satellite radio products.

Specifications

Operational Frequencies	
Satellite	2322.293/2330.207 MHz
Terrestrial	2326.250MHz
Power Requirements	
Fuse Type	8-16 Volts DC
	1-AMP (AGC)
Chassis Size (without Mounting Tabs)	
	4-1/8" x 5" x 1-3/8" (WxHxD)
	105mm x 126mm x 35mm (WxHxD)
Chassis Size (with Mounting Tabs)	
	4-7/8" x 5" x 1-3/8" (WxHxD)
	127mm x 126mm x 35mm (WxHxD)
Weight	0.528 kg. (1.16 lbs.)
Antenna Type	
	Mini-Magnetic
Antenna Cable Length	
	21' (single micro-cable)
Connector Type	
	SMB (Right-angle)
Audio Output	
	1V (Fixed)
Included Cable	
	2.5 Meter Panasonic Bus (Male/Male)

Please write down your SIRIUS ID in the space provided below:

SIRIUS ID:

SIRIUS Customer Service: 1-888-539-7474

12 MONTH LIMITED WARRANTY

SIRIUS Canada Inc. (the "Company") warrants to the original retail purchaser of this product that should this product or any part thereof, under normal use and conditions, be proven defective in material or workmanship within 12 months from the date of original purchase, such defect(s) will be replaced with new or reconditioned product (at the Company's option) without charge for parts and labor. To obtain replacement within the terms of this Warranty, the product is to be delivered with proof of warranty coverage (e.g. dated bill of sale), specification of defect(s), transportation prepaid, to the location shown below under WARRANTY RETURN.

This Warranty does not extend to the elimination of externally generated static or noise, to correction of antenna problems, to costs incurred for installation, removal or reinstallation of the product, or to damage to tapes, compact discs, speakers, accessories, or vehicle electrical systems.

This Warranty does not apply to any product or part thereof which, in the opinion of the Company, has suffered or been damaged through alteration, improper installation, mishandling, misuse, neglect, accident, or by removal or defacement of the factory serial number/bar code label(s). THE EXTENT OF THE COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT PROVIDED ABOVE AND, IN NO EVENT, SHALL THE COMPANY'S LIABILITY EXCEED THE PURCHASE PRICE PAID BY PURCHASER FOR THE PRODUCT.

This Warranty is in lieu of all other express warranties or liabilities. ANY IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, SHALL BE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY. ANY ACTION FOR BREACH OF ANY WARRANTY HEREUNDER INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY MUST BE BROUGHT WITHIN A PERIOD OF 48 MONTHS FROM DATE OF ORIGINAL PURCHASE. IN NO CASE SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES FOR BREACH OF THIS OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WHATSOEVER. No person or representative is authorized to assume for the Company any liability other than expressed herein in connection with the sale of this product. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damage so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights and you may also have other rights which vary from state to state.

WARRANTY RETURN: To obtain a replacement within the terms of this Warranty, please return product to an authorized Sirius Canada retailer or call Erikson Consumer Customer Service at (800) 567-3275 for an authorized Sirius retailer near you; proof of purchase and description of defect are required. Products to be returned to an approved warranty station must be shipped freight prepaid.



**SIRIUS Canada Inc.
2 St. Clair Ave. West
Suite 1100
Toronto, Ontario M4V 1L6
1-888-539-7474
www.siriuscanada.ca**